

SURFACE PUMP DATA INFORMATION

PUMP TYPE	FIRE	CONSTRUCTION	INDUSTRIAL	✓
Stock No		SP9111	Retail Price	
Manufacturer		GR Series P	Date In Stock	
Model		Model P-6	Year of Manufacture	
Serial No			CHASSIS	
PUMP DATA			Open/ Skid	
Max Flow		355 m ³ /hr	Sound Attenuated	
Max Head		40 m	Length	
Suction Size - mm		150mm	Width	
Suction Flange BSP Coupling		PN16 flange	Height	
Discharge Size - mm		150mm	Colour	
Discharge Detail Flange - BSP		PN16 flange	Condition	
Suction NRV- Gate		Inlet NRV		
Discharge Pressure Gauge			LIFTING DATA/ CHASSIS	
Shaft Seal – Mec /Packing		Mechanical Seal	Weight Kg	
Pump Speed		850 – 1950 rpm	Centre Point	
Impeller Type – Open/Closed		Semi open five vane imp	Corner	
Impeller Size				
Solids Handling - mm		31.7mm spherical solids	Forklift	
Others – Stages			Trailer – Road tow	
Material		Grey iron No.30	Trailer – Site tow	
Priming Type		5.2m max self priming	Tow Bar Type	
Long/Close Coupled Pump		Bareshaft pump only		
Belt Drive			FUEL TANK DATA	
ENGINE DATA			Size - Dimensions	
Manufacturer			Capacity	
Model			Gauge	
Serial No			Bunded	
Hours			Chassis	
Exhaust Type			Free Standing	
Bellows			Special	
Voltage			STARTER PANEL	
Battery Type			Key / Button	
Battery Isolator			Hour Meter	
Water Jacket Meater KW			Oil Pressure	
Cooling – Air – Rad - Exc			Water Temp	
ELECTRIC MOTOR			Water Pressure	
Make			Water Vacuum	
Voltage				
KW			Special	
Amps			TESTING	
Cooling			Duration	
Speed			Curve On File	Yes
Foot / Flange			Photos – Numbers	
Starter Type				