

**SURFACE PUMP DATA INFORMATION**

PUMP TYPE	FIRE	CONSTRUCTION	INDUSTRIAL	✓
Stock No		SP9112	Retail Price	
Manufacturer		GR Series P	Date In Stock	
Model		Model P-4	Year of Manufacture	
Serial No			<b>CHASSIS</b>	
<b>PUMP DATA</b>			Open/ Skid	
Max Flow		160 m <sup>3</sup> /hr	Sound Attenuated	
Max Head		40 m	Length	
Suction Size - mm		100mm	Width	
Suction Flange BSP Coupling		PN16 flange	Height	
Discharge Size - mm		100mm	Colour	
Discharge Detail Flange - BSP		PN16 flange	Condition	
Suction NRV- Gate		Neoprene with nylon Steel reinforced NRV		
Discharge Pressure Gauge			<b>LIFTING DATA/ CHASSIS</b>	
Shaft Seal – Mec /Packing		Cartridge Mechanical Seal	Weight Kg	
Pump Speed		850 – 2150 rpm	Centre Point	
Impeller Type – Open/Closed		Semi open six vane imp	Corner	
Impeller Size				
Solids Handling - mm		28.6mm dia spherical solids	Forklift	
Others – Stages			Trailer – Road tow	
Material		Grey iron No.30	Trailer – Site tow	
Priming Type		5.2m max self priming	Tow Bar Type	
Long/Close Coupled Pump		Bareshaft pump only		
Belt Drive			<b>FUEL TANK DATA</b>	
<b>ENGINE DATA</b>			Size - Dimensions	
Manufacturer			Capacity	
Model			Gauge	
Serial No			Bunded	
Hours			Chassis	
Exhaust Type			Free Standing	
Bellows			Special	
Voltage			<b>STARTER PANEL</b>	
Battery Type			Key / Button	
Battery Isolator			Hour Meter	
Water Jacket Meater KW			Oil Pressure	
Cooling – Air – Rad - Exc			Water Temp	
<b>ELECTRIC MOTOR</b>			Water Pressure	
Make			Water Vacuum	
Voltage				
KW			Special	
Amps			<b>TESTING</b>	
Cooling			Duration	
Speed			Curve On File	Yes
Foot / Flange			Photos – Numbers	
Starter Type				