

Table 41: 400 V, 50 Hz, 3-phase

| Rated power, kW | Rated power, hp | Curve/ Impeller No | Revolutions per minute, rpm | Rated current, A | Starting current, A | Power factor, cos φ | Installation |
|-----------------|-----------------|--------------------|-----------------------------|------------------|---------------------|-----------------------------|--------------|
| 4 | 5.4 | 439 | 1465 | 9.4 | 73 | 0.74 | T,Z |
| 4 | 5.4 | 439 | 1450 | 8.0 | 50 | 0.86 | T,Z |
| 4 | 5.4 | 439 | 1455 | 8.3 | 56 | 0.84 | T,Z |
| 4.7 | 6.3 | 438 | 1460 | 10 | 73 | 0.78 | P,S |
| 4.7 | 6.3 | 438 | 1440 | 9.4 | 50 | 0.88 | P,S |
| 4.7 | 6.3 | 438 | 1460 | 11 | 76 | 0.76 | T,Z |
| 4.7 | 6.3 | 438 | 1465 | 11 | 91 | 0.74 | T,Z |
| 4.7 | 6.3 | 438 | 1455 | 9.3 | 62 | 0.87 | T,Z |
| 4.7 | 6.3 | 438 | 1445 | 9.6 | 56 | 0.86 | P,S |
| 4.7 | 6.3 | 439 | 1460 | 10 | 73 | 0.78 | P,S |
| 4.7 | 6.3 | 439 | 1440 | 9.4 | 50 | 0.88 | P,S |
| 4.7 | 6.3 | 439 | 1460 | 11 | 76 | 0.76 | T,Z |
| 4.7 | 6.3 | 439 | 1465 | 11 | 91 | 0.74 | T,Z |
| 4.7 | 6.3 | 439 | 1455 | 9.3 | 62 | 0.87 | T,Z |
| 4.7 | 6.3 | 439 | 1445 | 9.6 | 56 | 0.86 | P,S |
| 5.9 | 7.9 | 437 | 1450 | 13 | 76 | 0.81 | P,S |
| 5.9 | 7.9 | 437 | 1460 | 13 | 91 | 0.79 | P,S |
| 5.9 | 7.9 | 437 | 1440 | 12 | 62 | 0.88 | P,S |
| 5.9 | 7.9 | 438 | 1450 | 13 | 76 | 0.81 | P,S |
| 5.9 | 7.9 | 438 | 1460 | 13 | 91 | 0.79 | P,S |
| 5.9 | 7.9 | 438 | 1440 | 12 | 62 | 0.88 | P,S |
| 5.9 | 7.9 | 439 | 1450 | 13 | 76 | 0.81 | P,S |
| 5.9 | 7.9 | 439 | 1460 | 13 | 91 | 0.79 | P,S |
| 5.9 | 7.9 | 439 | 1440 | 12 | 62 | 0.88 | P,S |

| Rated power, kW | Rated power, hp | Curve/ Impeller No | Revolutions per minute, rpm | Rated Current, A | Start current, A | Power Factor, cos φ | Installation |
|-----------------|-----------------|--------------------|-----------------------------|------------------|------------------|---------------------|--------------|
| 5.9 | 7.9 | 422 | 1440 | 12 | 62 | 0.88 | P,S |
| 5.9 | 7.9 | 424 | 1450 | 13 | 76 | 0.81 | P,S |
| 5.9 | 7.9 | 424 | 1460 | 13 | 91 | 0.79 | P,S |
| 5.9 | 7.9 | 424 | 1440 | 12 | 62 | 0.88 | P,S |
| 5.9 | 7.9 | 425 | 1450 | 13 | 76 | 0.81 | P,S |
| 5.9 | 7.9 | 425 | 1450 | 13 | 76 | 0.81 | L |
| 5.9 | 7.9 | 425 | 1460 | 13 | 91 | 0.79 | P,S |
| 5.9 | 7.9 | 425 | 1460 | 13 | 91 | 0.79 | L |
| 5.9 | 7.9 | 425 | 1440 | 12 | 62 | 0.88 | P,S |
| 5.9 | 7.9 | 425 | 1440 | 12 | 62 | 0.88 | L |
| 5.9 | 7.9 | 426 | 1450 | 13 | 76 | 0.81 | L |
| 5.9 | 7.9 | 426 | 1450 | 13 | 76 | 0.81 | P,S |
| 5.9 | 7.9 | 426 | 1460 | 13 | 91 | 0.79 | P,S |
| 5.9 | 7.9 | 426 | 1460 | 13 | 91 | 0.79 | L |
| 5.9 | 7.9 | 426 | 1440 | 12 | 62 | 0.88 | P,S |
| 5.9 | 7.9 | 426 | 1440 | 12 | 62 | 0.88 | L |
| 7.5 | 10.1 | 424 | 1435 | 16 | 76 | 0.84 | L |
| 7.5 | 10.1 | 425 | 1435 | 16 | 76 | 0.84 | L |
| 7.5 | 10.1 | 426 | 1435 | 16 | 76 | 0.84 | L |

MT

